



Safety Data Sheet – Paver Sand-Tan, Gray, Wide Joint Gray

Section 1—Product and Company Identification

1.1 Product Name:	Westbrook Paver Sand Tan, Gray, Wide Joint Gray	
Product Form:	Mixture	
1.2 Product Use:	Jointing and Stabilizing Pavers	
1.3 Supplier/Manufacturer:	Westbrook Concrete Block Co., Inc. (architectural bagged products division)	
	439 Spencer Plains Road Westbrook, CT 06498	250 Hickory Lane Bayville, NJ 08721
Phone Number:	(860) 399-6201	(732) 269-4949
1.4 Emergency Number:	CHEMTREC (800) 424-9300	

Section 2—Hazards Identification

2.1 Classification of the Chemical:

HAZARD CLASS:	Acute toxicity	4 (oral)
	Serious Eye Irritation	2A
	Skin sensitization	1
	Carcinogenicity	1A
	Specific target organ toxicity –	Repeated exposure 1

2.2 Label Elements:

HAZARD PICTOGRAM:



SIGNAL WORD:

Danger

HAZARD STATEMENT:

Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. May cause cancer. Causes damage to organs through prolonged or repeated exposure

PREVENTION:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.



RESPONSE: *If Swallowed:* Immediately call a poison center/doctor. Rinse mouth.

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. If exposed or concerned get medical attention.

If on Skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs get medical advice/attention.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents and container in accordance with all local, regional, national, and international regulations.

2.3 Additional Information:

HAZARDS NOT OTHERWISE CLASSIFIED: N/A

4% of the mixture consists of ingredient(s) of unknown acute toxicity.

Section 3—Composition / Information on Ingredients

3.1 Mixtures:

Ingredient	CAS #	Wt. %	GHS-US Classification
Quartz	14808-60-7	60 – 100	Acute Tox. 4 (oral) Carc. 1A STOT RE 1
Cement, Portland, Chemicals	65997-15-1	0.5 – 2	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3

The exact percentage (concentration) or chemicals has been withheld as a trade secret in accordance with paragraph (j) of §1910.1200.



Section 4—First Aid Measures

4.1 Description of First Aid Measures:

EYE:	In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
SKIN:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
INHALATION:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
INGESTION:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a poison control center or doctor/physician.

4.2 Most Important Symptoms and Effects, both Acute and Delayed:

EYE:	Causes serious eye irritation. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
SKIN:	Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
INHALATION:	May cause respiratory tract irritation.
INGESTION:	Harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3 Indication of Any Immediate Medical Attention and Special Treatments Needed:

NOTE TO PHYSICIANS:	Symptoms may not appear immediately.
SPECIFIC TREATMENTS:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).



Section 5—Fire Fighting Measures

5.1 Extinguishing Media:

SUITABLE EXTINGUISHING MEDIA: Treat for surrounding material

UNSUITABLE EXTINGUISHING MEDIA: N/A

5.2 Special Hazards Arising From the Chemical:

PRODUCTS OF COMBUSTION: May include, and are not limited to: oxides of carbon

5.3 Special Protective Equipment and Precautions for Fire Fighters:

Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6—Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 Methods and Materials for Containment/Cleanup:

METHODS FOR CONTAINMENT: Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

METHODS FOR CLEANUP: Vacuum or sweep material and place in a disposal container.

Section 7—Handling And Storage

7.1 Precautions for Safe Handling:

HANDLING: Avoid contact with skin and eyes. Do not swallow. Good housekeeping is important to prevent accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc. is not recommended. Handle and open container with care. When using do not eat, drink or smoke.

GENERAL HYGIENE ADVICE: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2 Conditions for Safe Storage, Including Any Incompatibilities:

STORAGE: Keep out of the reach of children. Store in dust-tight, dry, labeled containers. Keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.



Section 8—Exposure Controls And Personal Protection

8.1 Control Parameters:

EXPOSURE GUIDELINES:

Ingredient	OSHA-PEL	ACGIH-TLV
Quartz	[(10 mg/m ³)/(%SiO ₂ +2) TWA (resp)] [(30 mg/m ³)/(%SiO ₂ +2) TWA (total)] [(250)/(%SiO ₂ +5) mppcf TWA (resp)]	.025 mg/m ³
Cement, Portland, Chemicals	5 mg/m ³	1 mg/m ³

8.2 Exposure Controls:

ENGINEERING CONTROLS:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

8.3 Individual Protective Measures:

Personal Protective Equipment:

EYE/FACE PROTECTION:

Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

HAND PROTECTION:

Wear suitable waterproof gloves.

BODY PROTECTION:

Wear suitable waterproof protective clothing.

RESPIRATORY PROTECTION:

A NIOSH approved dust mask or filtering face-piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

GENERAL HYGIENE CONSIDERATIONS:

Handle according to established industrial hygiene and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.



Section 9—Physical And Chemical Properties

9.1 Information on Basic Physical and Chemical Properties:

APPEARANCE:	Granular, Crushed or Ground
COLOR:	White, Tan, or Gray
ODOR:	None
ODOR THRESHOLD:	N/A
PHYSICAL STATE:	Solid
PH:	6 – 13
VISCOSITY:	N/A
FREEZING POINT:	N/A
MELTING POINT:	2930° F/1610° C
BOILING POINT:	4046° F/2230° C
FLASH POINT:	N/A
EVAPORATION RATE:	N/A
FLAMMABILITY:	Not flammable
VAPOR PRESSURE:	N/A
VAPOR DENSITY:	N/A
RELATIVE DENSITY:	2.65
BULK DENSITY:	N/A
LOWER EXPLOSION LIMIT:	N/A
UPPER EXPLOSION LIMIT:	N/A
SOLUBILITY IN WATER:	Insoluble
COEFFICIENT OF WATER/OIL DISTRIBUTION:	N/A
AUTO-IGNITION TEMPERATURE:	N/A
PERCENT VOLATILE, WT. %:	N/A
VOC CONTENT, WT. %:	0% N/A; 0 wt, N/A

Section 10—Stability and Reactivity

10.1 Reactivity:	No dangerous reaction known under conditions of normal use.
10.2 Chemical Stability:	Stable under normal conditions. Keep in dry storage.
10.3 Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to Avoid:	Incompatible materials. Moisture.
10.5 Incompatible Materials:	Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal
10.6 Hazardous Decomposition Products:	May include, and are not limited to: oxides of carbon.



Section 11—Toxicological Information

11.1 Information on Toxicological Effects

Acute Toxicity:

Ingredient	LD50
Quartz	Oral 500 mg/kg, rat

Calculated Overall Chemical Acute Toxicity Values:

LC50 (inhalation):	N/A
LD50 (oral):	510 – 525 mg/kg, rat
LD50 (dermal):	N/A

Ingredients

Ingredients	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Silica, Crystalline, Quartz	G-A2, I-1, N-1, O, CP65
Portland Cement	G-A4
Ferric Oxide	G-A4, I-3
Ashes (residue)	Not listed
Gypsum	Not listed
Calcium Carbonate	Not listed
Magnesium Oxide	G-A4
Calcium Oxide	Not listed

11.2 Delayed, Immediate and Chronic Effects of Short- and Long-Term Exposure:

SKIN CORROSION/IRRITATION:	Based on available data, the classification criteria are not met.
SERIOUS EYE DAMAGE/IRRITATION:	Causes serious eye irritation.
SKIN SENSITIZATION:	May cause an allergic skin reaction.
CARCINOGENICITY:	May cause cancer.
GERM CELL MUTAGENICITY:	Based on available data, the classification criteria are not met.
REPRODUCTIVE TOXICITY:	Based on available data, the classification criteria are not met.
STOT-SINGLE EXPOSURE:	Based on available data, the classification criteria are not met.
STOT-REPEATED EXPOSURE:	Causes damage to organs through prolonged or repeated exposure.
ASPIRATION HAZARD:	Based on available data, the classification criteria are not met.
EYE CONTACT:	Causes serious eye irritation. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.



SKIN CONTACT:

May cause skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact

INGESTION:

Harmful if swallowed. May cause stomach distress, nausea or vomiting.

INHALATION:

May cause respiratory tract irritation.

OTHER INFORMATION:

Likely routes of exposures: ingestion, inhalation, skin and eye.

Section 12—Ecological Information

12.1 Ecotoxicity:

ACUTE/CHRONIC TOXICITY:

No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems, and treatment plants is not considered environmentally harmful.

12.2 Persistence and Degradability:

N/A

12.3 Bioaccumulative Potential

BIOACCUMULATION:

N/A

12.4 Mobility in Soil:

N/A

12.5 Other Adverse Effects:

N/A

Section 13—Disposal Considerations

13.1 Waste Treatment Methods:

DISPOSAL METHOD:

This material must be disposed of in accordance with local, state, provincial, and federal regulations.

OTHER DISPOSAL RECOMMENDATIONS:

N/A

Section 14—Transportation Information

14.1 UN Number:

Not Applicable

14.2 UN Proper Shipping Name:

Not Applicable

14.3 Special Precautions for User:

Do not handle until all safety precautions have been read and understood

Section 15—Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislations Specific for the Chemical:

State Regulations:

CALIFORNIA PROP. 65:

This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



Global Inventories:

Ingredient	USA / TSCA
Cement, Portland, Chemicals	YES
Quartz	YES

NFPA- National Fire Protection Association:

HEALTH:	2
FIRE:	0
REACTIVITY:	0
Hazard Rating:	0 = minimal 1 = slight 2 = moderate 3 = severe 4 = extreme

Source Agency Carcinogen Classifications:

CP65	California Proposition 65
------	---------------------------

IARC (I)

International Agency for Research on Cancer.

- 1 The agent (mixture) is carcinogenic to humans.
- 2A The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N)

National Toxicology Program.

- 1 Evidence of Carcinogenicity
- 2 Known human carcinogens
- 3 Reasonably anticipated to be carcinogens.
- 4 Substances delisted from report on Carcinogens
- 5 Twelfth report – items under consideration



Section 16—Other Information

Date of Preparation:

July 1, 2015

Version:

1.0

Revision Date:

July 1, 2015

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by:

Westbrook Concrete Block Co., Inc.
(architectural bagged products division)

Prepared for:

Westbrook Concrete Block Co., Inc.