

# Safety Data Sheet — Paver Sand-Tan, Gray, Wide Joint Gray

### Section 1—Product and Company Identification

1.1 Product Name: Westbrook Paver Sand Tan, Gray, Wide Joint Gray

Product Form: Mixture

1.2 Product Use: Jointing and Stabilizing Pavers

1.3 Supplier/Manufacturer: Westbrook Concrete Block Co., Inc.

(architectural bagged products division)

439 Spencer Plains Road 250 Hickory Lane Westbrook, CT 06498 Bayville, NJ 08721

(732) 269-4949 Phone Number: (860) 399-6201

CHEMTREC (800) 424-9300 1.4 Emergency Number:

### Section 2—Hazards Identification

2.1 Classification of the Chemical:

HAZARD CLASS: 4 (oral) Acute toxicity Serious Eye Irritation 2A Skin sensitization 1

Carcinogenicity

Specific target organ toxicity -Repeated exposure 1

### 2.2 Label Elements:

HAZARD PICTOGRAM:





SIGNAL WORD:

HAZARD STATEMENT: Harmful if swallowed. Causes serious eye irritation.

May cause an allergic skin reaction. May cause cancer.

Causes damage to organs through prolonged

or repeated exposure

Obtain special instructions before use. Do not handle PREVENTION:

> until all safety precautions have been read and understood. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection.



SAFETY DATA SHEET

PAGE 2 OF 10

If Swallowed: Immediately call a poison center/doctor. RESPONSE:

Rinse mouth.

If in Eyes: Rinse cautiously with water for several minutes.

> Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. If exposed or concerned

get medical attention.

If on Skin: Wash with plenty of water. Take off contaminated

> clothing and wash it before reuse. If skin irritation or rash occurs get medical advice/attention.

Remove person to fresh air and keep comfortable If Inhaled:

for breathing. Call a poison center/doctor if you

feel unwell.

Store locked up. STORAGE:

DISPOSAL: Dispose of contents and container in accordance

with all local, regional, national, and international

regulations.

#### 2.3 Additional Information:

HAZARDS NOT OTHERWISE CLASSIFIED:

N/A

4% of the mixture consists of ingredient(s) of unknown acute toxicity.

### Section 3—Composition / Information on Ingredients

#### 3.1 Mixtures:

| Ingredient                     | CAS#       | Wt.%     | GHS-US Classification                                    |
|--------------------------------|------------|----------|--|
| Quartz                         | 14808-60-7 | 60 – 100 | Acute Tox. 4 (oral)<br>Carc. 1A<br>STOT RE 1             |
| Cement, Portland,<br>Chemicals | 65997-15-1 | 0.5 – 2  | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>STOT SE 3 |

The exact percentage (concentration) or chemicals has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.



SAFETY DATA SHEET

PAGE 3 OF 10

### Section 4—First Aid Measures

### 4.1 Description of First Aid Measures:

EYE: In case of contact, immediately flush eyes with plenty

of water. If easy to do, remove contact lenses, if worn.

If irritation persists, get medical attention.

In case of contact, immediately flush skin with plenty SKIN:

> of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if

irritation develops and persists.

If breathing is difficult, remove victim to fresh air and INHALATION:

keep at rest in a position comfortable for breathing.

Get medical advice/attention if you feel unwell.

If swallowed, do NOT induce vomiting unless directed INGESTION:

to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call

a poison control center or doctor/physician.

### 4.2 Most Important Symptoms and Effects, both Acute and Delayed:

Causes serious eye irritation. May cause burns

in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Causes skin irritation. May cause burns in the presence SKIN:

> of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization

by skin contact.

May cause respiratory tract irritation. INHALATION:

Harmful if swallowed. May cause stomach distress, INGESTION:

nausea or vomiting.

#### 4.3 Indication of Any Immediate Medical Attention and Special Treatments Needed:

Symptoms may not appear immediately. NOTE TO PHYSICIANS:

SPECIFIC TREATMENTS: In case of accident or if you feel unwell,

seek medical advice immediately (show the label or SDS where possible).



SAFETY DATA SHEET

PAGE 4 OF 10

### Section 5—Fire Fighting Measures

5.1 Extinguishing Media:

SUITABLE EXTINGUISHING MEDIA: Treat for surrounding material

UNSUITABLE EXTINGUISHING MEDIA: N/A

5.2 Special Hazards Arising From the Chemical:

PRODUCTS OF COMBUSTION: May include, and are not limited to: oxides of carbon

5.3 Special Protective Equipment and Precautions for Fire Fighters:

Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

### Section 6—Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 Methods and Materials for Containment/Cleanup:

METHODS FOR CONTAINMENT: Contain spill, then place in a suitable container.

> Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

METHODS FOR CLEANUP: Vacuum or sweep material and place

in a disposal container.

### Section 7—Handling And Storage

7.1 Precautions for Safe Handling:

Avoid contact with skin and eyes. Do not swallow. HANDLING:

> Good housekeeping is important to prevent accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc. is not recommended. Handle and open container with care. When using do not eat, drink or smoke.

Launder contaminated clothing before reuse. GENERAL HYGIENE ADVICE:

Wash hands before eating, drinking, or smoking.

7.2 Conditions for Safe Storage, Including Any Incompatibilities:

Keep out of the reach of children. Store in dust-STORAGE:

> tight, dry, labeled containers. Keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with

emergency water sprinklers.



SAFETY DATA SHEET

PAGE 5 OF 10

### Section 8—Exposure Controls And Personal Protection

#### 8.1 Control Parameters:

EXPOSURE GUIDELINES:

Ingredient OSHA-PEL ACGIH-TLV

Quartz  $[(10 \text{ mg/m}^3)/(\% \text{SiO}_2 + 2) \text{ TWA (resp)}]$  .025 mg/m<sup>3</sup>

 $[(30 \text{ mg/m}^3)/(\% \text{SiO}_2 + 2) \text{ TWA (total)}]$  $[(250)/(\% \text{SiO}_2 + 5) \text{ mppcf TWA (resp)}]$ 

Cement, Portland, 5 mg

Chemicals

5 mg/m<sup>3</sup>

 $1 \text{ mg/m}^3$ 

### 8.2 Exposure Controls:

ENGINEERING CONTROLS: Use ventilation adequate to keep exposures

(airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

### 8.3 Individual Protective Measures:

### Personal Protective Equipment:

EYE/FACE PROTECTION: Wear approved eye protection (properly fitted dust-

or splash-proof chemical safety goggles) and face

protection (face shield).

HAND PROTECTION: Wear suitable waterproof gloves.

BODY PROTECTION: Wear suitable waterproof protective clothing.

RESPIRATORY PROTECTION: A NIOSH approved dust mask or filtering face-piece

is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety

professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

GENERAL HYGIENE CONSIDERATIONS: Handle according to established industrial hygiene

and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.



SAFETY DATA SHEET

PAGE 6 OF 10

### Section 9—Physical And Chemical Properties

9.1 Information on Basic Physical and Chemical Properties:

APPEARANCE: Granular, Crushed or Ground

COLOR: White, Tan, or Gray

ODOR: None

ODOR THRESHOLD: N/A

PHYSICAL STATE: Solid

PH: 6 – 13

VISCOSITY: N/A

FREEZING POINT: N/A

MELTING POINT: 2930° F/1610° C BOILING POINT: 4046° F/2230° C

FLASH POINT: N/A EVAPORATION RATE: N/A

FLAMMABILITY: Not flammable

VAPOR PRESSURE:

VAPOR DENSITY:

N/A

RELATIVE DENSITY:

2.65

BULK DENSITY:

N/A

LOWER EXPLOSION LIMIT:

N/A

UPPER EXPLOSION LIMIT:

N/A

COEFFICIENT OF WATER/OIL DISTRIBUTION: N/A
AUTO-IGNITION TEMPERATURE: N/A
PERCENT VOLATILE, WT. %: N/A

voc content, wt. %: 0% N/A; 0 wt, N/A

### Section 10—Stability and Reactivity

SOLUBILITY IN WATER:

**10.1 Reactivity:** No dangerous reaction known under conditions

of normal use.

**10.2 Chemical Stability:** Stable under normal conditions. Keep in dry storage.

Insoluble

**10.3 Possibility of Hazardous Reactions:** No dangerous reaction known under conditions

of normal use.

**10.4 Conditions to Avoid:** Incompatible materials. Moisture.

**10.5 Incompatible Materials:** Wet cement is alkaline and incompatible with acid,

ammonium salts and aluminum metal

10.6 Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon.



SAFETY DATA SHEET

PAGE 7 OF 10

### Section 11—Toxicological Information

### 11.1 Information on Toxicological Effects

Acute Toxicity:

Ingredients

Ingredient LD50

Oral 500 mg/kg, rat Quartz

## Calculated Overall Chemical Acute Toxicity Values:

LC50 (inhalation): N/A

LD50 (oral): 510 - 525 mg/kg, rat

LD50 (dermal): N/A

Chemical Listed as Carcinogen or Potential

Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)\*

Silica, Crystalline, Quartz G-A2, I-1, N-1, O, CP65

Portland Cement G-A4 Ferric Oxide G-A4, I-3 Ashes (residue) Not listed Not listed Gypsum Calcium Carbonate Not listed Magnesium Oxide G-A4 Not listed

Calcium Oxide

### 11.2 Delayed, Immediate and Chronic Effects of Short- and Long-Term Exposure:

SKIN CORROSION/IRRITATION: Based on available data, the classification criteria

are not met.

Causes serious eye irritation. SERIOUS EYE DAMAGE/IRRITATION:

May cause an allergic skin reaction. SKIN SENSITIZATION:

CARCINOGENICITY: May cause cancer.

Based on available data, the classification criteria GERM CELL MUTAGENICITY:

are not met.

Based on available data, the classification criteria REPRODUCTIVE TOXICITY:

are not met.

Based on available data, the classification criteria STOT-SINGLE EXPOSURE:

are not met.

Causes damage to organs through prolonged STOT-REPEATED EXPOSURE:

or repeated exposure.

Based on available data, the classification criteria ASPIRATION HAZARD:

are not met.

EYE CONTACT: Causes serious eye irritation. May cause burns in the

presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.



SAFETY DATA SHEET

PAGE 8 OF 10

May cause skin irritation. May cause burns in the SKIN CONTACT:

presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause

sensitization by skin contact

INGESTION: Harmful if swallowed. May cause stomach distress,

nausea or vomiting.

INHALATION: May cause respiratory tract irritation.

OTHER INFORMATION: Likely routes of exposures: ingestion, inhalation,

skin and eye.

### Section 12—Ecological Information

12.1 Ecotoxicity:

ACUTE/CHRONIC TOXICITY: No ecological consideration when used according

to directions. Normal dilution of this product to drains, sewers, septic systems, and treatment plants is not considered environmentally harmful.

12.2 Persistence and Degradability: N/A

12.3 Bioaccumulative Potential

BIOACCUMULATION: N/A 12.4 Mobility in Soil: N/A 12.5 Other Adverse Effects: N/A

### Section 13—Disposal Considerations

13.1 Waste Treatment Methods:

This material must be disposed of in accordance DISPOSAL METHOD:

with local, state, provincial, and federal regulations.

OTHER DISPOSAL RECOMMENDATIONS: N/A

Section 14—Transportation Information

14.1 UN Number: Not Applicable

14.2 UN Proper Shipping Name: Not Applicable

14.3 Special Precautions for User: Do not handle until all safety precautions have been

read and understood

### Section 15—Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislations Specific for the Chemical:

State Regulations:

CALIFORNIA PROP. 65: This product contains Crystalline Silica, Quartz

> and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



SAFETY DATA SHEET

PAGE 9 OF 10

#### Global Inventories:

Ingredient USA/TSCA

Cement, Portland, Chemicals YES Quartz YES

### NFPA- National Fire Protection Association:

HEALTH: 0 FIRE: 0 REACTIVITY:

Hazard Rating: 0 = minimal

> 1 = slight 2 = moderate 3 = severe 4 = extreme

### Source Agency Carcinogen Classifications:

CP65 California Proposition 65

IARC (I) International Agency for Research on Cancer.

The agent (mixture) is carcinogenic to humans.

2A The agent (mixture) is probably carcinogenic

> to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity

in experimental animals.

The agent (mixture) is possibly carcinogenic 2B

> to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of

carcinogenicity in experimental animals.

3 The agent (mixture, exposure circumstance) is not

classifiable as to its carcinogenicity to humans.

4 The agent (mixture, exposure circumstance)

is probably not carcinogenic to humans.

#### NTP(N) National Toxicology Program.

| 1 | Evidence of Carcinogenicity |
|---|-----------------------------|
| 2 | Known human carcinogens     |

3 Reasonably anticipated to be carcinogens.

Substances delisted from report on Carcinogens 4

Twelfth report – items under consideration 5



SAFETY DATA SHEET

PAGE 10 OF 10

### Section 16—Other Information

Date of Preparation:

Version:

Revision Date:

Disclaimer:

Prepared by:

Prepared for:

December 15,2023

1.0

December 15, 2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Westbrook Concrete Block Co., Inc. (architectural bagged products division)

Westbrook Concrete Block Co., Inc.